

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-1	61350.740	6102.684	32.116	192-34-09	113.013
4-19	61319.397	6095.696	41.542	213-41-47	111.713
4-20	61284.838	6072.651	51.407	197-27-04	110.841
4-21 (5)	61235.801	6057.236	34.328	115-35-48	110.547
4-22	61220.972	6088.191	57.351	15-34-41	110.424
4-23	61276.211	6103.592	52.849	113-21-50	110.686
4-24	61255.255	6152.103			110.460
3-14	61123.781	6203.111	27.141	290-48-18	109.736
4-32	61133.420	6177.742	28.701	283-10-02	109.813
4-31	61139.958	6149.798	50.868	282-18-49	109.798
4-30	61150.805	6100.106	63.904	280-50-19	109.806
4-29 (6)	61162.820	6037.348	32.261	13-48-22	109.487
4-28	61194.146	6045.046	49.137	109-00-10	110.330
4-27	61178.148	6091.501	42.449	98-02-43	110.236
4-26	61172.208	6133.528	38.893	21-31-14	110.165
4-25	61208.386	6147.794	47.071	5-15-11	110.286
4-24	61255.255	6152.103			110.460

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-4	61246.855	6247.011	56.967	185-39-18	110.667
4-37	61190.171	6241.398	45.438	203-56-26	110.420
4-36	61148.646	6222.962	53.670	290-11-23	110.148
4-35 (7)	61167.167	6172.595	39.416	19-44-30	110.290
4-34	61204.262	6185.907	51.864	9-31-12	110.400
4-33	61255.407	6194.484	42.386	269-47-38	110.517
4-24	61255.255	6152.103			110.460
3-5	61213.917	6385.625	68.942	183-29-19	110.734
4-46	61145.109	6381.430	29.751	288-55-21	110.481
4-47	61154.756	6353.289	40.577	291-56-32	110.266
4-48 (13)	61169.917	6315.656	38.776	278-06-59	110.068
4-49	61175.391	6277.272	30.737	187-01-52	110.318
4-50	61144.888	6273.510	56.626	179-24-41	110.187
4-51	61088.271	6274.091			109.699
3-15	61053.023	6337.908	21.870	328-59-36	109.879
4-52 (14)	61071.766	6326.643	55.088	287-26-09	109.825
4-51	61088.271	6274.091			109.699

4 級基準点成果表

縮尺係数 0.999901 //

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-14	61123.781 //	6203.111 //	38.719 //	119-05-38 //	109.736 //
4-53 (15)	61104.956 //	6236.942 //	40.729 //	114-11-11 //	109.718 //
4-51	61088.271 //	6274.091 //			109.699 //
4-48	61169.917 //	6315.656 //	39.283 //	209-49-35 //	110.068 //
4-54 (16)	61135.841 //	6296.120 //	52.429 //	204-50-53 //	109.928 //
4-51	61088.271 //	6274.091 //			109.699 //
2-3	61280.247 //	6513.360 //	73.058 //	46-15-14 //	118.492 //
4-83 (31)	61330.759 //	6566.133 //	46.222 //	191-45-39 //	111.414 //
4-84	61285.512 //	6556.712 //			111.036 //
3-6	61192.824 //	6515.598 //	32.225 //	76-12-05 //	110.407 //
4-86 (32)	61200.509 //	6546.890 //	37.891 //	8-21-12 //	110.419 //
4-85	61237.995 //	6552.394 //	47.718 //	5-11-35 //	110.764 //
4-84	61285.512 //	6556.712 //			111.036 //
4-84	61285.512 //	6556.712 //	41.061 //	97-36-49 //	111.036 //
4-87 (33)	61280.072 //	6597.407 //	41.757 //	100-09-45 //	111.241 //
4-88	61272.703 //	6638.505 //			111.326 //

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-18	61321.297	6659.345	28.128	272-37-56	111.653
4-89 (34)	61322.589	6631.250	50.415	171-43-32	111.651
4-88	61272.703	6638.505			111.326
3-7	61177.178	6666.513	37.659	279-08-51	110.235
4-94	61183.164	6629.336	33.076	280-13-33	110.247
4-93	61189.036	6596.789	44.497	5-32-49	110.353
4-92 (35)	61233.320	6601.089	22.047	15-32-41	110.671
4-91	61254.559	6606.997	30.151	104-07-36	111.084
4-90	61247.200	6636.234	25.606	5-05-18	111.176
4-88	61272.703	6638.505			111.326
2-5	61091.754	6523.453	29.732	324-08-05	126.800
4-96 (37)	61115.847	6506.035	21.364	89-53-02	110.050
4-97	61115.890	6527.397			110.032

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-16	60996.483	6617.946	52.428	285-53-38	109.494
4-101	61010.839	6567.528	49.098	283-55-48	109.590
4-100	61022.658	6519.878	45.147	7-21-05	109.638
(38) 4-99	61067.429	6525.655	28.770	22-25-43	109.704
4-98	61094.020	6536.630	23.741	337-06-38	109.884
4-97	61115.890	6527.397			110.032
4-97	61115.890	6527.397	46.973	109-57-46	110.032
4-102	61099.854	6571.543	76.321	102-13-19	109.940
(39) 4-103	61083.699	6646.126	30.778	14-05-22	109.926
4-104	61113.548	6653.618			110.040
3-6	61192.824	6515.598	57.553	101-09-14	110.407
4-108	61181.692	6572.059	47.603	192-39-37	110.478
4-107	61135.251	6561.626	20.827	108-50-53	110.104
(40) 4-106	61128.523	6581.335	35.677	103-59-38	109.972
4-105	61119.896	6615.950	38.203	99-34-00	109.981
4-104	61113.548	6653.618			110.040

4 級基準点成果表

縮尺係数 0.999901 //

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-7	61177.178 //	6666.513 //			110.235 //
4-109 (41)	61133.891 //	6653.038 //	45.340 //	197-17-29 //	110.183 //
4-104	61113.548 //	6653.618 //	20.353 //	178-22-01 //	110.040 //
4-109	61133.891 //	6653.038 //			110.183 //
4-110 (42)	61138.422 //	6626.185 //	27.235 //	279-34-39 //	110.064 //
4-105	61119.896 //	6615.950 //	21.167 //	208-55-10 //	109.981 //
3-16	60996.483 //	6617.946 //			109.494 //
4-112	61028.304 //	6626.617 //	32.985 //	15-14-36 //	109.622 //
4-111 (43)	61051.983 //	6637.989 //	26.270 //	25-39-07 //	109.777 //
4-103	61083.699 //	6646.126 //	32.747 //	14-23-23 //	109.926 //
3-18	61321.297 //	6659.345 //			111.653 //
4-113 (44)	61303.183 //	6742.708 //	85.317 //	102-15-34 //	111.713 //
4-114	61250.408 //	6740.761 //	52.816 //	182-06-45 //	110.894 //

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-7	61177.178	6666.513	49.124	330-04-23	110.235
4-122	61219.747	6642.008	43.670	96-00-40	110.990
4-121	61215.175	6685.434	52.822	99-33-24	110.783
4-120	61206.406	6737.518	35.879	99-30-34	110.524
4-119	61200.479	6772.900	24.736	10-51-58	110.374
4-118 (45)	61224.769	6777.563	40.208	279-09-47	110.646
4-117	61231.172	6737.872	55.085	278-38-27	110.775
4-116	61239.447	6683.418	20.371	6-47-57	110.996
4-115	61259.672	6685.829	55.714	99-34-22	111.100
4-114	61250.408	6740.761			110.894
4-114	61250.408	6740.761	43.651	99-29-17	110.894
4-123 (46)	61243.213	6783.811	39.700	99-28-04	110.783
4-124	61236.683	6822.967			110.668
3-10	61318.415	6909.663	30.801	245-17-42	111.855
4-127	61305.543	6881.684	53.526	261-04-22	111.909
4-126 (47)	61297.238	6828.811	32.121	175-12-35	111.651
4-125	61266.228	6831.410	30.731	195-56-54	111.132
4-124	61236.683	6822.967			110.668

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-8	61136.435	6902.215	63.925	272-12-42	110.330
4-133	61138.902	6838.344	40.289	295-39-06	110.188
4-132	61156.341	6802.029	39.157	21-15-49	109.956
4-131	61192.828	6816.228	40.815	92-01-56	110.259
4-130 (48)	61191.381	6857.013	22.733	11-04-25	110.559
4-129	61213.689	6861.379	42.078	270-13-12	110.764
4-128	61213.850	6819.305	23.127	9-06-37	110.419
4-124	61236.683	6822.967			110.668
4-113	61303.183	6742.708	40.537	95-39-29	111.713
4-134 (49)	61299.187	6783.043	45.814	92-26-18	111.705
4-126	61297.238	6828.811			111.651
3-10	61318.415	6909.663	44.795	170-11-55	111.855
4-135	61274.279	6917.288	53.786	200-24-21	111.646
4-136 (50)	61223.873	6898.536	38.905	286-13-47	111.132
4-137	61234.746	6861.186	38.272	272-54-07	110.968
4-124	61236.683	6822.967			110.668

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-11	61347.521	7086.830	38.725	191-24-43	111.689
4-180	61309.565	7079.169	37.631	178-23-06	111.322
4-181	61271.953	7080.229	32.710	78-27-31	111.061
(66) 4-182	61278.497	7112.274	26.344	78-27-47	111.091
4-183	61283.765	7138.084	23.520	76-30-37	111.100
4-184	61289.251	7160.953			111.147
3-13	61308.299	7208.750	51.458	248-16-20	110.834
(67) 4-184	61289.251	7160.953			111.147
3-12	61378.185	7234.122	60.662	265-18-32	110.803
4-186	61373.224	7173.670	52.780	191-14-03	111.364
(68) 4-185	61321.461	7163.388	32.305	184-19-26	111.183
4-184	61289.251	7160.953			111.147
3-11	61347.521	7086.830	49.177	78-18-17	111.689
4-187 (69)	61357.489	7134.982	41.770	67-52-02	111.475
4-186	61373.224	7173.670			111.364

4 級基準点成果表

縮尺係数 0.999901 //

点の 番号	X	Y	辺 S	長 T	方向角 T	標 H	高
	m	m	m	° ' "		m	
3-12	61378.185 //	7234.122 //				110.803 //	
4-188	61353.750 //	7235.553 //	24.479 //	176-38-52 //		111.031 //	
4-189	61332.205 //	7219.655 //	26.778 //	216-25-26 //		110.983 //	
3-13	61308.299 //	7208.750 //	26.279 //	204-31-14 //		110.834 //	

(70)

4 級基準点成果表

縮尺係数 0.999901 //

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-1	61350.740 //	6102.684 //	35.601 //	30-37-04 //	113.013 //
4-1	61381.374 //	6120.814 //	49.848 //	105-37-06 //	111.690 //
4-2	61367.955 //	6168.816 //	25.835 //	200-02-55 //	111.294 //
4-3 (77)	61343.688 //	6159.960 //	33.887 //	111-34-21 //	111.230 //
4-4	61331.230 //	6191.471 //	37.906 //	8-27-37 //	111.183 //
4-5	61368.720 //	6197.047 //	27.794 //	11-02-50 //	111.373 //
4-6	61395.996 //	6202.372 //			111.528 //
3-2	61443.016 //	6265.960 //	41.181 //	274-47-41 //	111.780 //
4-11	61446.458 //	6224.927 //	36.202 //	274-48-11 //	111.761 //
4-10	61449.489 //	6188.856 //	25.254 //	275-03-49 //	111.730 //
4-9 (78)	61451.718 //	6163.703 //	52.589 //	208-44-49 //	111.771 //
4-8	61405.614 //	6138.413 //	37.299 //	97-42-10 //	111.588 //
4-7	61400.616 //	6175.372 //	27.395 //	99-42-30 //	111.521 //
4-6	61395.996 //	6202.372 //			111.528 //

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 S	長 T	標 高 H
	m	m	m	° ' "	m
3-4	61246.855	6247.011	50.615	7-58-45	110.667
4-16	61296.975	6254.036	28.008	16-26-41	110.961
4-15	61323.834	6261.964	38.971	353-10-36	111.078
4-14 (79)	61362.525	6257.335	35.487	21-59-20	111.267
4-13	61395.427	6270.620	46.041	263-46-51	111.480
4-12	61390.440	6224.855	23.161	283-52-53	111.505
4-6	61395.996	6202.372			111.528
3-1	61350.740	6102.684	59.852	116-19-58	113.013
4-18	61324.193	6156.320	51.243	107-06-57	111.608
4-17 (80)	61309.114	6205.289	50.241	103-58-59	111.105
4-16	61296.975	6254.036			110.961
3-2	61443.016	6265.960	64.790	99-47-57	111.780
4-38 (81)	61431.990	6329.798			111.630
3-3	61407.402	6412.866	43.466	282-13-14	111.492
4-39 (82)	61416.602	6370.389	43.414	290-45-44	111.522
4-38	61431.990	6329.798			111.630

4 級基準点成果表

縮尺係数 0.999901 //

点の 番号	X	Y	辺 S	長 T	標 高 H
	m	m	m	° ' "	m
4-38	61431.990 //	6329.798 //	39.169 //	173-51-38 //	111.630 //
4-40	61393.050 //	6333.987 //	37.151 //	171-05-12 //	111.326 //
(83) 4-41	61356.351 //	6339.743 //	70.397 //	177-14-39 //	111.418 //
4-42	61286.042 //	6343.127 //			110.980 //
3-4	61246.855 //	6247.011 //	41.243 //	101-05-39 //	110.667 //
4-45	61238.920 //	6287.480 //	51.576 //	9-13-55 //	110.607 //
(84) 4-44	61289.823 //	6295.753 //	47.529 //	94-33-44 //	111.089 //
4-42	61286.042 //	6343.127 //			110.980 //
3-5	61213.917 //	6385.625 //	42.637 //	283-19-13 //	110.734 //
4-43 (85)	61223.739 //	6344.139 //	62.318 //	359-04-10 //	110.836 //
4-42	61286.042 //	6343.127 //			110.980 //
3-3	61407.402 //	6412.866 //	60.738 //	185-22-40 //	111.492 //
4-57	61346.938 //	6407.174 //	42.700 //	99-46-05 //	111.317 //
(86) 4-58	61339.694 //	6449.251 //	64.869 //	115-04-07 //	111.186 //
4-59	61312.211 //	6508.004 //			111.016 //

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 S	長 T	標 H
	m	m	m	° ' "	m
2-3	61280.247	6513.360			118.492
4-60 (87)	61336.067	6515.907	55.884	2-36-46	111.138
4-59	61312.211	6508.004	25.134	198-19-49	111.016
4-59 (88)	61312.211	6508.004			111.016
4-61	61281.352	6502.198	31.403	190-39-19	110.805
3-5	61213.917	6385.625			110.734
4-64	61262.380	6391.938	48.877	7-25-17	110.974
4-63 (89)	61292.928	6394.614	30.669	5-00-24	111.091
4-62	61282.143	6461.324	67.583	99-11-00	110.908
4-61	61281.352	6502.198	40.886	91-06-31	110.805
3-6	61192.824	6515.598			110.407
4-66	61208.342	6490.369	29.622	301-35-44	110.589
4-65 (90)	61246.492	6501.502	39.745	16-16-08	110.756
4-61	61281.352	6502.198	34.871	1-08-35	110.805

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 S	長 T	標 高 H
	m	m	m	° ' "	m
3-3	61407.402	6412.866	65.109	121-20-42	111.492
4-67 (91)	61373.536	6468.467	60.459	128-18-08	111.217
4-60	61336.067	6515.907			111.138
4-64	61262.380	6391.938	58.906	96-11-52	110.974
4-68 (92)	61256.021	6450.494	51.896	100-34-54	110.871
4-65	61246.492	6501.502			110.756
3-15	61053.023	6337.908	44.809	85-12-56	109.879
4-55	61056.760	6382.556	44.619	354-10-26	109.861
4-56 (93)	61101.144	6378.028	44.101	4-25-31	110.146
4-46	61145.109	6381.430			110.481
3-5	61213.917	6385.625	58.329	88-40-00	110.734
4-69	61215.274	6443.932	44.804	189-40-17	110.766
4-70 (94)	61171.111	6436.406	29.397	176-46-01	110.566
4-71	61141.764	6438.064	46.169	87-33-53	110.452
4-72	61143.725	6484.187			110.293

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 S	長 T	標 高 H
	m	m	m	° ' "	m
3-6	61192.824	6515.598	56.264	161-55-49	110.407
4-73 (95)	61139.340	6533.048	49.062	275-07-41	110.172
4-72	61143.725	6484.187			110.293
4-72	61143.725	6484.187	37.546	193-27-00	110.293
4-74	61107.212	6475.455	31.696	187-37-38	110.149
4-75 (96)	61075.800	6471.248	38.332	198-29-26	110.018
4-76	61039.450	6459.092			109.798
3-15	61053.023	6337.908	60.275	89-37-33	109.879
4-78	61053.416	6398.175	29.858	101-16-12	109.959
4-77 (97)	61047.582	6427.455	32.669	104-24-51	109.889
4-76	61039.450	6459.092			109.798
2-5	61091.754	6523.453	33.658	238-59-46	126.800
4-80	61074.419	6494.607	43.807	201-07-10	109.874
4-79 (98)	61033.558	6478.824	20.595	286-37-32	109.572
4-76	61039.450	6459.092			109.798

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
4-71	61141.764	6438.064	44.013	205-23-36	110.452
4-82	61102.007	6419.192	29.102	207-27-05	110.421
4-81 (99)	61076.185	6405.777	24.007	198-27-49	110.326
4-78	61053.416	6398.175			109.959
4-83	61330.759	6566.133	30.961	108-49-45	111.414
4-95 (100)	61320.767	6595.434	35.866	87-05-19	111.518
4-89	61322.589	6631.250			111.651
3-7	61177.178	6666.513	50.995	110-14-21	110.235
4-138	61159.538	6714.355	43.494	85-24-52	110.245
4-139 (101)	61163.015	6757.705	46.376	183-04-14	110.144
4-140	61116.711	6755.222			109.973

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-16	60996.483	6617.946	49.454	104-44-05	109.494
4-147	60983.906	6665.769	28.634	12-26-13	109.448
4-146	61011.866	6671.935	32.778	106-06-25	109.743
4-145	61002.773	6703.423	20.480	359-13-54	109.586
4-144 (102)	61023.248	6703.149	27.529	12-39-17	109.760
4-143	61050.106	6709.179	21.441	358-41-07	109.825
4-142	61071.539	6708.687	51.802	9-29-14	109.866
4-141	61122.627	6717.225	38.459	98-51-03	109.986
4-140	61116.711	6755.222			109.973
4-140	61116.711	6755.222	54.047	187-11-42	109.973
4-148 (103)	61063.095	6748.453	39.530	182-03-38	109.756
4-149	61023.594	6747.032			109.678
3-17	60951.662	6790.561	48.191	284-35-16	109.285
4-156	60963.798	6743.928	28.203	6-53-59	109.248
4-155 (104)	60991.794	6747.316	31.804	359-29-19	109.409
4-149	61023.594	6747.032			109.678

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-8	61136.435	6902.215	45.398	200-57-04	110.330
4-154	61094.042	6885.983	47.343	189-22-02	110.268
4-153	61047.336	6878.279	41.764	281-23-03	109.893
4-152 (105)	61055.578	6837.340	44.935	278-37-28	109.804
4-151	61062.316	6792.918	47.032	187-27-33	109.709
4-150	61015.687	6786.813	40.563	281-14-31	109.565
4-149	61023.594	6747.032			109.678
4-140	61116.711	6755.222	43.780	106-22-36	109.973
4-159	61104.368	6797.222	50.080	99-45-21	109.877
4-160 (106)	61095.883	6846.572	39.458	92-40-30	110.015
4-154	61094.042	6885.983			110.268
3-17	60951.662	6790.561	33.468	7-35-08	109.285
4-158 (107)	60984.834	6794.979	31.918	345-10-34	109.483
4-150	61015.687	6786.813			109.565
4-156	60963.798	6743.928	48.131	284-46-41	109.248
4-157 (108)	60976.074	6697.394	32.584	283-54-36	109.355
4-147	60983.906	6665.769			109.448

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 S	長 T	方向角 T	標 H
	m	m	m	° ' "	m	
3-10	61318.415	6909.663	46.245	88-01-44	111.855	
4-161	61320.005	6955.876	40.868	78-02-06	111.920	
4-162 (109)	61328.477	6995.852	49.605	69-26-43	111.932	
4-163	61345.892	7042.295			111.758	
3-11	61347.521	7086.830	44.569	267-54-17	111.689	
4-163	61345.892	7042.295	43.659	186-05-50	111.758	
4-164 (110)	61302.484	7037.659	36.651	183-30-34	111.357	
4-165	61265.905	7035.415	37.599	184-32-35	111.007	
4-166	61228.428	7032.437			110.906	
3-13	61308.299	7208.750	47.754	213-34-13	110.834	
4-170	61268.514	7182.347	64.581	215-28-44	110.623	
4-169	61215.929	7144.867	45.821	300-37-03	110.578	
4-168 (111)	61239.264	7105.439	37.248	253-42-49	111.189	
4-167	61228.819	7069.689	37.258	269-23-55	110.989	
4-166	61228.428	7032.437			110.906	
4-166	61228.428	7032.437	33.567	184-08-21	110.906	
4-171 (112)	61194.952	7030.015			110.855	

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
3-8	61136.435	6902.215	42.142	3-39-02	110.330
4-175	61178.487	6904.898	28.304	347-01-33	110.691
4-174	61206.065	6898.544	51.944	99-22-28	110.810
4-173 (113)	61197.605	6949.789	39.100	104-57-01	110.996
4-172	61187.519	6987.561	43.103	80-04-12	110.943
4-171	61194.952	7030.015			110.855
3-9	61093.868	7082.250	70.231	286-53-39	110.254
4-177	61114.275	7015.057	47.872	17-43-07	110.612
4-176 (114)	61159.872	7029.625	35.085	0-38-14	110.793
4-171	61194.952	7030.015			110.855
4-175	61178.487	6904.898	39.163	99-44-03	110.691
4-178	61171.866	6943.493	36.359	92-34-57	110.829
4-179 (115)	61170.228	6979.812	50.883	101-44-40	110.828
4-176	61159.872	7029.625			110.793

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 S	長 T	標 高 H
	m	m	m	° ' "	m
3-8	61136.435	6902.215	38.668	100-15-08	110.330
4-192	61129.553	6940.262	29.271	99-25-47	110.619
4-193	61124.758	6969.135	45.332	181-34-03	110.652
4-194	61079.447	6967.895	44.807	274-37-04	110.498
4-195 (116)	61083.054	6923.238	55.069	135-21-05	110.352
4-196	61043.881	6961.934	31.568	188-40-36	110.372
4-197	61012.677	6957.172	28.795	191-44-23	110.297
4-198	60984.488	6951.314	45.864	285-08-50	110.140
4-199	60996.471	6907.048			109.872
3-17	60951.662	6790.561	79.598	104-34-38	109.285
4-201	60931.630	6867.589	69.710	358-25-27	109.404
4-200 (117)	61001.307	6865.673	41.661	96-40-01	109.641
4-199	60996.471	6907.048			109.872
4-199	60996.471	6907.048	36.379	184-33-00	109.872
4-202	60960.210	6904.162	36.423	189-12-27	109.633
4-203 (118)	60924.259	6898.334	39.543	104-38-17	109.401
4-204	60914.267	6936.590	20.841	65-07-09	109.580
4-205	60923.035	6955.495			109.719

4 級基準点成果表

縮尺係数 0.999901

点の 番号	X	Y	辺 長 S	方向角 T	標 高 H
	m	m	m	° ' "	m
2-7	60857.696	6937.811	67.696	15-08-39	124.226
4-205 (119)	60923.035	6955.495			109.719
3-9	61093.868	7082.250	36.828	232-33-37	110.254
4-209	61071.481	7053.012	45.878	216-12-43	110.298
4-208	61034.469	7025.911	40.786	212-34-38	110.345
4-207 (120)	61000.104	7003.952	39.698	211-24-22	110.236
4-206	60966.225	6983.268	51.354	212-44-33	110.082
4-205	60923.035	6955.495			109.719
4-208	61034.469	7025.911	43.234	358-47-47	110.345
4-210	61077.689	7025.003	32.764	279-40-56	110.602
4-211 (121)	61083.199	6992.709	25.098	261-24-07	110.553
4-194	61079.447	6967.895			110.498
3-9	61093.868	7082.250	30.945	8-37-46	110.254
4-191	61124.460	7086.893	61.135	32-11-52	110.464
4-190 (122)	61176.188	7119.465	47.171	32-35-12	110.436
4-169	61215.929	7144.867			110.578